

### AMENDMENTS TO THE CLAIMS

- At the time of the action: Claims 1-7, 9-10, and 12-30.
- Currently amended claims: Claims 1, 5, 16, and 23.
- Currently canceled claims: Claim 4.
- After this response: Claims 1-3, 5-7, 9-10, and 12-30.

1. (Currently Amended) A method comprising:

identifying components associated with a first end point in an environment;  
identifying components associated with a second end point in the environment;  
determining whether any of the identified components are associated with both  
the first end point and the second end point;

determining a path strength for each path between the first end point and the  
second point;

identifying relationships between the first end point, the second end point, and  
any components associated with both the first end point and the second end point;[[and ]]

displaying the relationships by, in part, displaying a social context associated with  
the first end point and a second context associated with the second end point; and

displaying associated information in response to a user's identification of either  
the first end point or the second end point.

2. (Original) A method as recited in claim 1 wherein the environment is a social  
environment.

3. (Original) A method as recited in claim 1 further comprising receiving a request to identify relationships between the first end point and the second end point.

4. (Canceled).

5. (Currently Amended) A method as recited in claim 1 wherein determining whether any of the identified components are associated with both the first end point and the second end point includes:

~~determining a path strength for each path between the first end point and the second end point; and~~

ranking the paths between the first end point and the second end point based on the path strength.

6. (Original) A method as recited in claim 5 further comprising ignoring paths having a path strength below a predetermined threshold.

7. (Original) A method as recited in claim 5 wherein identifying relationships includes identifying only the top ranked paths between the first end point and the second end point.

8. (Previously Canceled).

9. (Previously Presented) A method as recited in claim 1 wherein displaying the relationships includes displaying information regarding at least one component.

10. (Previously Presented) A method as recited in claim 1 wherein displaying the relationships includes displaying information regarding at least one link between components.

11. (Previously Canceled).

12. (Previously Presented) A method as recited in claim 1 wherein displaying the relationships includes:

displaying the first end point;

displaying the second end point; and

displaying at least one common component associated with the first end point and the second end point.

13. (Original) A method as recited in claim 1 further comprising:

displaying a common component associated with the first end point and the second end point;

displaying at least one link between the common component and the first end point; and

displaying at least one link between the common component and the second end point.

14. (Original) A method as recited in claim 1 further comprising:
- displaying the first end point;
  - displaying the second end point;
  - displaying components associated with the first end point; and
  - displaying components associated with the second end point.
15. (Previously Presented) One or more computer-readable storage memories containing a computer program that is executable by a processor to perform the method recited in claim 1.
16. (Currently Amended) A method comprising:
- displaying a first end point;
  - displaying components associated with the first end point;
  - displaying a second end point;
  - displaying components associated with the second end point;
  - displaying a common component associated with the first end point and the second end point;
  - displaying a link between the common component and the first end point;
  - displaying a link between the common component and the second end point;
  - determining a path strength associated with the common component by, at least in part:

determining a first link strength for the link between the common component and the first end point;

determining a second link strength for the link between the common component and the second end point; and

calculating the path strength between the first endpoint and the second endpoint based at least in part on multiplying the first link strength and the second link strength.

17. (Previously Presented) A method as recited in claim 16 further comprising:  
preventing the display of the common component if the path strength is below a threshold.

18. (Original) A method as recited in claim 16 further comprising:  
displaying a second common component associated with the first end point and the second end point;  
displaying a link between the second common component and the first end point;  
and  
displaying a link between the second common component and the second end point.

19. (Original) A method as recited in claim 16 further comprising displaying a second link between the common component and the first end point.

20. (Original) A method as recited in claim 19 further comprising:

determining a strongest link between the common component and the first end point; and

highlighting the strongest link between the common component and the first end point.

21. (Original) A method as recited in claim 16 further comprising:

displaying a second link between the common component and the first endpoint; and

displaying a second link between the common component and the second end point.

22. (Original) One or more computer-readable memories containing a computer program that is executable by a processor to perform the method recited in claim 16.

23. (Currently Amended) One or more computer-readable storage media having stored thereon a computer program that, when executed by one or more processors, causes the one or more processors to:

display a first end point in a social network and a social context associated with the first end point;

display a second end point in a social network and a social context associated with the second end point;

identify a common component associated with the first end point and the second end point;

display the common component associated with the first end point and the second end point;

display a link between the common component and the first end point;

display a link between the common component and the second end point; [[and]]

calculating the path strength between the first endpoint and the second endpoint based at least in part on multiplying the first link strength and the second link strength; and

displaying associated information in response to a user's identification of either a first end point or a second end point.

24. (Original) One or more computer-readable media as recited in claim 23 wherein the one or more processors further determine a path strength associated with the common component and prevent display of the common component if the path strength is below a threshold.

25. (Original) One or more computer-readable media as recited in claim 23 wherein the one or more processors further display a second link between the common component and the first end point.

26. (Original) One or more computer-readable media as recited in claim 23 wherein the one or more processors further display a second link between the common component

and the first end point and display a second link between the common component and the second end point.

27. (Original) One or more computer-readable media as recited in claim 23 wherein the one or more processors further identify a second common component associated with the first end point and the second end point.

28. (Original) One or more computer-readable media as recited in claim 23 wherein the one or more processors further display the second common component associated with the first end point and the second end point.

29. (Previously Presented) A method as recited in claim 4, wherein the path strength is based at least in part on one or more link strengths, wherein individual link strengths are associated with a link between one or both of:

the first end point and an identified component associated with both the first end point and the second end point; or

the second end point and an identified component associated with both the first end point and the second end point.

30. (Previously Presented) A method as recited in claim 1, wherein one or both of identifying components associated with a first end point in an environment and identifying components associated with a second end point in the environment are performed at last in part by analyzing an organizational chart.